AND METHODS IN WHICH THEY ARE USED

INVENTOR(S): STINA ROTH ET AL. ATTY. DKŤ. NO.: 014975-119

SHEET 1 OF 3

10/535442

1/3

Fig. 1.

A. The gyrB amplification product of Haemophilus influenzae and the location of the probes

5' cgtcctggtatgtatatcggcgataccgatgacggtactggtttgcacc atatggtatttgaagtggtggataatgccattgatgaagccctcgctggcc attgttccgatattatcgtgacaattcacg<u>atgataattctgtatcggtgcaa</u> gatgatgggggggggttcctgtggatattcatcctgaagaaggcgtttct gcagcagaagttattatgactgtgcttcatcgcaggcggtaaatttgacga <u>aactcttataaagtatcg</u>ggcggtttacacggcgtggg

B. The gyrB amplification product of Moraxella catarrhalis and the location of the probes

5' |cgaccagggatgtatattgg|tgataccgatgatggtacaggcttgca ccatatggtgtttgaggtggtggatatgccattgatgaggcattggcaggtc actgtgatgagattaatattatcgtccatgacgatgaatctgtttcggtgatg gagtatgggcgtggtattcctgtggatatccaccctgaagaaggtgtatc agctgccgaggttattatgacggtgcttcatgcaggcggtaaatttgatgat aattcatacaaagtatctggggggcctgcacggcgtagg

APPL DILING DATE: MAY 19, 2005

TITLE: NUCLEIC ACID PROBES AND BROAD-RATE


ENTREMERS FROM REGIONS IN TOPOISOMERASE GENES, PAND METHODS IN WHICH THEY ARE USED

INVENTOR(S): STINA ROTH ET AL. ATTY. DKT. No.: 014975-119

SHEET 2 OF 3

2/3

Fig. 2



Staphylococcus aureus -positive gyrB oligonucleotides (4 pcs., Table 4B: oligonucleotides 21 - 24).

APPIN. FILING DATE: MAY 19, 2005
THE NUCLEIC ACID PROBES AND BROAD PIGE
PRIMERS FROM REGIONS IN TOPOISOMERASE GENES,
AND METHODS IN WHITE THEY ARE USED

INVENTOR(S): STINA ROTH ET AL. ATTY. DKT. No.: 014975-119

SHEET 3 OF 3

10/535442

3/3




Fig. 3

- 1. Streptococcus pneumoniae
- 2. Streptococcus pyogenes
- 3. Streptococcus oralis
- 4. Streptococcus mitis
- 5. Negative control
- 6. Moraxella catarrhalis
- Moraxella cuniculi 7.
- 8. Moraxella caviae
- Neisseria gonorrhoeae 9.
- 10. Negative control
- 11. Size marker